

CAP 22

AUTHORISED MEDICAL EXAMINERS

INDEX



Bahrain CAA Publication Revisions Highlight Sheet

⊠ CAP: <u>22</u>	☐ TPM:

The following pages have been revised to Revision 04 dated 21 April 2022.

Item	Chapter/Paragraph number	Page(s)	Reason
1.		ALL	Reflects current revision status and date.
2.	1.2(d)	1	Reference updated.
3.	2.1	2	Reference updated.
4.	5.1(b)	7	Items (2) to (5) deleted.
5.	5.2	8	Deletion.
6.	6.1.5	10	Note reference updated.
7.	Appendix 1	APP 1-1	Note 2 reference updated.

CAP 22 Rev. 04 21 April 2022



CAP 22

AUTHORISED MEDICAL EXAMINERS

INDEX

Section	Title	Page No.
1.	Introduction	1
1.1	Purpose	1
1.2	References	1
1.3	Requirements for a Medical Certificate	1
1.4	Aeromedical Centres (AMCs)	2
2.	Requirements for Designation as AME	2
2.1	General	2
2.2	Number and Location of AMEs	3
2.3	Access to documentation	3
2.4	Qualifications	3
2.5	Training	3
3.	Designation Process	
3.1	Application	5
3.2	Facility Survey	5
3.3	Type of Designation	6
3.4	Duration of Designation	6
4.	Conditions of Designation	
4.1	General	6
5.	Applicability of Medical Assessments	
5.1	Medical Classes	
5.2	Medical Validity	8
6.	Conduct of Medical Assessments	
6.1	General Requirements for Medical Assessments	
6.2	Applicant's Obligations	
6.3	Confidentiality	
6.4	Conduct of Assessment	11
7.	Completion of Medical Report	
7.1	Procedures	
7.2	Submission to CAA	11
8.	Medical Certificate	
8.1	Content of Certificate	
8.2	Issuance of Medical Certificate	12
9.	Validation Requirements	12



9.1	Normal Revalidation
9.2	Expired Certificates
9.3	Candidates Turning 40/50/60 Years of Age
10.	Medical Fitness1
10.1	Failure to Meet Standards
10.2	Notification of Medical Fitness
10.3	Incapacity of a Licence Holder1
10.4	Convening a Medical Board1
10.5	Medical Issues Not Requiring Board
10.6	Limitations
10.7	Aeromedical Waivers
11.	Use of Psychoactive Substances1
11.1	Positive Result of Drug Testing
11.2	Appeal Process for Positive Testing
Appendix 1	Class 3 Medical Assessment for ATC LicenceAPP 1-
Appendix 2	Summary of Class 1 & Class 2 Minimum Periodic RequirementsAPP 2-
Appendix 3	Summary of Class 3 Minimum Periodic RequirementsAPP 3-
Appendix 4	Medical Report
Appendix 5	Medical Certificate
Appendix 6	Notification of Denial of Medical Certificate APP 6-

LIST OF EFFECTIVE PAGES

CAP 22

Appendices

APP 1-1 21 Apr 22 APP 1-2 21 Apr 22 APP 1-3 21 Apr 22 APP 1-4 21 Apr 22 APP 1-5 21 Apr 22 APP 1-6 21 Apr 22 APP 1-7 21 Apr 22 APP 1-8 21 Apr 22 APP 2-1 21 Apr 22 APP 2-2 21 Apr 22 APP 3-1 21 Apr 22 APP 3-2 21 Apr 22 APP 4-1 21 Apr 22 APP 4-2 21 Apr 22 APP 5-1 21 Apr 22 APP 5-2 21 Apr 22 APP 6-1 21 Apr 22 APP 6-2 21 Apr 22

1. INTRODUCTION

1.1 Purpose

These Procedures have been prepared for all Authorised Medical Examiners (AMEs) who have accepted the position as medical examiners for Civil Aviation Affairs.

These Procedures are to be used as a guide for the interpretation and application of the Air Navigation Technical Regulations (ANTRs) in the assessment of the medical fitness of applicants for civilian flight crew and air traffic controller medical certificates.

1.2 References

The following documents contain further references to the requirements and procedures for authorised medical examiners:

- (a) Civil Aviation Law (6/1995): Article 19 Para 3
- (b) ICAO Annex 1: Personnel Licensing, Chapter 6 for Class 3 medical assessments
- (c) ANTR-FCL 3
- (d) ICAO Document 8984 Manual of Civil Aviation Medicine
- (e) Bahrain CAA Publication CAP 09 Personnel Licensing

1.3 Requirements for a Medical Certificate

All professional flight crew and private pilots are required to hold a valid licence. In order to apply for or to exercise the privileges of a licence, the applicant or the holder shall hold a medical certificate issued in accordance with the provisions of ANTR FCL Part 3 (Medical) and appropriate to the privileges of the licence.

All Air Traffic Controllers are required to hold a valid licence. In order to apply for or to exercise the privileges of an ATC licence, the applicant or the holder shall hold a Class 3 medical certificate issued in accordance with the provisions of the Air Navigation Regulations.

Note: The process for the medical assessment and issuance of the medical certificate by an Authorised Medical Examiner is contained in the ANTR FCL 3.

Student pilots do not require a licence and a Class 2 medical certificate is sufficient to fly solo under the supervision of an instructor.

The Medical Certificate can only be issued by an Authorised Medical Examiners on behalf of the CAA.

1.4 Aeromedical Centres (AMCs)

Aeromedical centres (AMCs) may be authorised, or re-authorised, at the discretion of the Authority for a period not exceeding 3 years. An AMC shall be:

- (a) within the national boundaries of the State of Bahrain and attached to or in liaison with a designated hospital or a medical institute;
- (b) engaged in clinical aviation medicine and related activities;
- (c) headed by an Authorised Medical Examiner (AME), responsible for coordinating assessment results and signing reports and certificates, and shall have on staff physicians with advanced training and experience in aviation medicine;
- (d) equipped with medico-technical facilities for extensive aeromedical examinations.

2. REQUIREMENTS FOR DESIGNATION AS AME

2.1 General

Medical Examiners assume certain responsibilities directly related to the CAA safety programme. They serve in their communities to enforce and ensure aviation safety. They have responsibility to ensure that only those applicants who are physically and mentally ableto perform safely may exercise the privileges of CAA licences. To properly discharge the duties associated with these responsibilities, Medical Examiners shall maintain familiarity with general medical knowledge applicable to aviation. They shall have detailed knowledgeand understanding of CAA regulations, policies, and procedures related to the medical certification of licence holders. They should also be familiar with the ICAO Annex I, ANTR FCL 3 and ICAO Document 8984 Manual of Civil Aviation Medicine. Medical Examiners must also possess acceptable equipment and adequate facilities necessary to carry out the prescribed examinations.

The CAA will designate only professionally qualified and appropriately licensed physicians who are interested in promoting aviation safety. Only those physicians who enjoy the fullest respect of their associates and members of the public whom they serve shall be authorised and retained as AMEs.

Physicians wishing to become AMEs must apply to Bahrain CAA for designation. A physician, when approved as an AME, shall be restricted to carrying out standard periodic revalidation/renewal assessments and shall report to and be supervised by Bahrain CAA.

The Authority will authorise Medical Examiners (AMEs), within its national boundaries, qualified and licensed in the practice of medicine. Physicians, resident outside of Bahrain and wishing to become AMEs for the purpose of flight crew licensing, may apply to the Authority. Following appointment the AME shall report to and be supervised by the Authority.

2.2 Number and Location of AMEs

Bahrain CAA will determine the number and location of examiners it requires, taking account of the number and geographic distribution of the population of licence holders.

2.3 Access to documentation

An AME, responsible for coordinating assessment results and signing reports, shall be allowed access to any prior aeromedical documentation held by the CAA and related to such examinations as that AME is to carry out.

2.4 Qualifications

For the designation of an AME to perform unrestricted Class 1, 2 and 3 Medical Examinations the following applies.

- (a) The applicant for designation as an AME with authority to perform examinations must be a professionally qualified physician with at least five years of clinical practice out of which three should be in a field of medicine related to the functioning of the Medical Examiner (e.g. General Practice, Internal Medicine etc. but not fields like orthopaedics, sports medicine, gynaecology obstetrics etc.); and
- (b) Qualification in Aerospace or Aviation Medicine; and
- (c) A graduate of a recognised course in Aviation Medicine (see paragraph 2.4 below).
- (d) Of a good standing in his or her community.
- (e) The applicant must possess an unrestricted licence to practice medicine in the geographical area in which the designation is sought, issued either by the Ministry of Health as might be applicable.
- (f) The applicant must be engaged in the practice of medicine at an established office address.
- (g) The applicant's past professional performance and personal conduct shall be suitable for a position of responsibility and trust.
- (h) Special consideration for designation may be given to those physicians who are pilots, who have been Military Flight Surgeons, who have special training or expertise in Aviation Medicine, or who were previously authorised but have relocated to a new geographical area.

2.5 Training

(a) Initial

AMEs shall be qualified and licensed in the practice of medicine and shall have received training in aviation medicine acceptable to the Authority. They should

acquire practical knowledge and experience of the conditions in which the holders of licences and ratings carry out their duties.

- (1) Basic training in Aviation Medicine (see AMC FCL 3.090)
 - (i) Basic training for physicians responsible for the medical selection and surveillance of Class 2 flying personnel and Class 3 ATC personnel shall consist of a minimum of 60-hours of lectures including practical work (examination techniques).
 - (ii) A final examination shall conclude the basic training course. A certificate must be awarded to the successful candidate.
 - (iii) Possession of a certificate of basic training in Aviation Medicine constitutes no legal right to be approved as an AME for Class 2 or Class 3 examinations by Bahrain CAA.
- (2) Advanced training in Aviation Medicine
 - (i) Advanced training in Aviation Medicine for physicians responsible for the medical examination and assessment and surveillance of Class 1 flying personnel should consist of minimum of 120-hours of lectures (60 additional hours to basic training) and practical work, training attachments and visits to Aeromedical Centres, Clinics, Research, ATC, Simulator, Airport and industrial facilities.

Training attachments and visits may be spread over three years. Basic training in Aviation Medicine shall be a compulsory entry requirement. (see AMC FCL 3.090).

- (ii) A final examination shall conclude this advanced training course in Aviation Medicine and a certificate shall be awarded to the successful candidate.
- (iii) Possession of a certificate of Advanced Training in Aviation Medicine constitutes no legal right to be approved as an AME for Class 1 or Class 2 examinations by Bahrain CAA.
- (b) Refresher Training in Aviation Medicine.

During the period of authorisation an AME is required to attend a minimum of 20 hours refresher training acceptable to the Authority. A minimum of 6 hours must be under the direct supervision of the AMS.

Scientific meetings, congresses and flight deck experience may be approved by the AMS for this purpose, for a specified number of hours (see AMC FCL 3.090).

3. **DESIGNATION PROCESS**

3.1 Application

An applicant for the designation of AME shall apply on form ALD/LIC/F109 with a covering letter expressing the intent to practice as an AME and requesting to be authorisedas a CAA authorised AME. The application shall be made to the Chief Aviation Permits and Licensing Section.

The following supporting documents should accompany the application

- (a) Medical school certificate.
- (b) Certificate of any postgraduate professional training (e.g., internship, residency, fellowship).
- (c) Current detailed CV with photocopies of supporting documents.
- (d) Certificates of any Aviation Medicine courses.
- (e) If previously authorised as an AME with an Aviation Authority, a photocopy of the certificate.
- (f) In case of military service, the respective documents, any discharge certificate if applicable.
- (g) Licence(s) to practice medicine from Ministry of Health.
- (i) Colour photographs with a blue background, passport size and three in number, front view, without glasses or headwear.
- Note 1: In case of submission of foreign documents they should be either in English or Arabic and properly authenticated.
- Note 2: It is the responsibility of the AME to obtain and submit the required documents in support of his/her designation.

3.2 Facility Survey

The CAA will arrange a date and time for the facility survey. Once the facility survey is satisfactorily completed the applicant will be informed and arrangements made for the issuance of an authority.

For the approval of the overseas medical facilities the individual or the organization requesting the approval would be required to make all the necessary arrangements for the CAA official conducting the survey. This is usually at no cost to the CAA.

3.3 Type of Designation

Once a physician is approved as an AME he/she might be granted either a temporary or a permanent designation. Both the temporary and permanent designations may either be restricted (for) certain classes of medical exams only) or unrestricted (for all classes). Whether an AME is granted a temporary or a permanent designation, or a restricted or unrestricted licence, will be based on the assessment by the Chief Aviation Permits and Licensing Section. If the candidate is granted a temporary designation this will be for a minimum period of 90 days. During this period the AME will be observed and their work assessed. The status of temporary designation does not imply an automatic progression to a permanent status.

3.4 **Duration of Designation**

An AME will be authorised for a period not exceeding three years. To maintain proficiency and retain authorisation an AME should complete at least ten aeromedical examinations each year. For re-authorisation the AME shall have completed an adequate number of aeromedical examinations to the satisfaction of Bahrain CAA and shall also have undertaken relevant training during the period of authorisation.

Renewal of designation should be made on form ALD/LIC/F109 with a covering letter expressing the intent to renew the designation as an AME.

4. CONDITIONS OF DESIGNATION

4.1 General

Once authorised as an AME, the AME must comply with the following conditions:

(a) Credentials.

The AME must notify the Chief Aviation Permits and Licensing Section if at any time there is a change in status of Ministry of Health licence to practice medicine.

(b) Professionalism.

Remain informed of the principles of aviation medicine; be thoroughly familiar with instructions as to techniques of examination, medical assessment, and certification of airmen; Familiar with and abide by the policies, rules, and regulations of the CAA.

(c) Examinations.

Personally conduct all medical examinations at an established office address. Paraprofessional medical personnel e.g., nurses, may perform limited parts of the examinations (e.g., measurement of visual acuity, hearing, phorias, blood pressure, and pulse, and conduct of urinalysis and electrocardiography) under the supervision of the AME.

The AME shall conduct the general physical examination, sign the Medical Report, and list his/her CAA designation identification number. In all cases, the AME shall review, certify, and assume responsibility for the accuracy and completeness of the total report of examination. In all cases the examining AME should be the one who issues the medical certificate. In no case an AME can sign for another AME.

(d) Office Address and Telephone Numbers.

AMEs will be listed with each office location and telephone number. The AME is required to promptly advise, in writing, the Chief Aviation Permits and Licensing Section of any change in office location or telephone numbers. Change in the location of the practice may lead to termination or non-renewal of designation.

The applicant shall have adequate facilities for performing the required examinations and possess or agree to obtain such equipment prior to conducting any medical examinations. In the event of office relocation or change in practice, a designation shall terminate and may be reissued, on request to the office of the Chief Aviation Permits and Licensing Section. In respect to the relocation, a determination of adequacy of the facilities must be made.

5. APPLICABILITY OF MEDICAL ASSESSMENTS

5.1 Medical Classes

The classes of Medical Assessment are as follows:

- (a) Class 1 Medical Assessment applies to applicants for, and holders of:
 - (1) Commercial pilot licences aeroplane, airship, helicopter and powered-lift
 - (2) Airline transport pilot licences aeroplane, helicopter and powered lift
 - (3) Multi-crew Pilot aeroplane
- (b) Class 2 Medical Assessment applies to applicants for, and holders of:
 - (1) Private pilot licences aeroplane, airship, helicopter and powered lift
- (c) Class 3 Medical Assessment applies to applicants for, and holders of:
 - (1) Air Traffic Controller licences

CAP 22 Rev. 04 7 21 April 2022

5.2 Medical Validity

The following validity periods for the different medical classes have been extracted from ANTR Part II, ANTR-FCL 3 and ICAO Annex 1 (for Class 3).

Licence Type	Class	Validity
Airline Transport Pilot under 40	1	12 months
Airline Transport Pilot over 40 (single pilot)	1	06 months
Airline Transport Pilot over 40 (two pilot)	1	12 months
Airline Transport Pilot over 60 (two pilot)	1	06 months
Commercial Pilot under 40	1	12 months
Commercial Pilot over 40	1	06 months
Private Pilot under 40	2	60 months
Private Pilot over 40	2	24 months
Private Pilot over 50	2	12 months
Air Traffic Controller (including Student ATC)	3	48 months
Air Traffic Controller over 40	3	24 months

The period of validity of a Medical Assessment begins on the day the medical examination is performed and Medical Certificates are valid until the last day of the month of the validity period.

The period of validity will, for the last month counted, include the day that has the same calendar number as the date of the medical examination or, if that month has no day with that number, the last day of that month.

6. CONDUCT OF MEDICAL ASSESSMENTS

6.1 General Requirements for Medical Assessments

6.1.1 General

An applicant for a Medical Assessment shall undergo a medical examination based on the following requirements, which are amplified in ANTR-FCL 3 for Class 1 and 2 medical assessments and in Appendix 1 for Class 3 medical assessments:

- (a) physical and mental;
- (b) visual and colour perception; and
- (c) hearing.

6.1.2 Physical and mental requirements

An applicant for any class of Medical Assessment shall be required to be free from:

- (a) any abnormality, congenital or acquired; or
- (b) any active, latent, acute or chronic disability; or
- (c) any wound, injury or sequelae from operation; or
- (d) any effect or side-effect of any prescribed or non-prescribed therapeutic, diagnostic or preventive medication taken; such as would entail a degree of functional incapacity which is likely to interfere with the safe operation of an aircraft or with the safe performance of duties.

6.1.3 Visual acuity test requirements

The methods in use for the measurement of visual acuity are likely to lead to differing evaluations. To achieve uniformity, therefore, the CAA shall ensure that equivalence in the methods of evaluation be obtained in accordance with ANTR-FCL 3.

6.1.4 Colour perception requirements

- (a) The CAA shall use such methods of examination as will guarantee reliable testing of colour perception.
- (b) The applicant shall be required to demonstrate the ability to perceive readily those colours the perception of which is necessary for the safe performance of duties.
- (c) The applicant shall be tested for the ability to correctly identify a series of pseudoisochromatic plates in daylight or in artificial light of the same colour temperature such as that provided by CIE standard illuminants C or D65 as specified by the International Commission on Illumination (CIE).
- (d) An applicant obtaining a satisfactory result as prescribed by the CAA shall be assessed as fit. An applicant failing to obtain a satisfactory result in such a test shall be assessed as unfit unless able to readily distinguish the colours used in air navigation and correctly identify aviation coloured lights. Applicants who fail to meet these criteria shall be assessed as unfit except for Class 2 assessment with the following restriction: valid daytime only.
- (e) Sunglasses worn during the exercise of the privileges of the licence or rating held should be non-polarizing and of a neutral grey tint.

6.1.5 Hearing test requirements

- (a) The CAA shall use such methods of examination as will guarantee reliable testing of hearing.
- (b) Applicants shall be required to demonstrate a hearing performance sufficient for the safe exercise of their licence and rating privileges.
- (c) Applicants for Class 1 and Class 2 Medical Assessments shall be tested by pure-tone audiometry at first issue of the Assessment, not less than once every five years up to the age of 40 years, and thereafter not less than once every two years. Alternatively, other methods providing equivalent results may be used.

At medical examinations, where audiometry is not performed, applicants shall be tested in a quiet room by whispered and spoken voice tests.

Note: Guidance material to assist Bahrain CAA and Medical Examiners is published separately in ICAO Document 8984 Manual of Civil Aviation Medicine. This guidance material should be used as the definitive reference.

6.2 Applicant's Obligations

The applicant must produce ID with photographic identification, which can be driving licence, passport, individual ID card etc. AMEs must check the identity of all candidates for examination and ensure that the name used on the medical certificate application form is the same as that on the pilot's licence.

Applicants for licences or ratings for which medical fitness is prescribed shall sign and furnish to the medical examiner a declaration stating whether they have previously undergone such an examination and, if so, the date, place and result of the last examination. They shall indicate to the examiner whether a Medical Assessment has previously been refused, revoked and suspended and, if so, the reason for such refusal, revocation or suspension. The applicant for Medical Assessment shall provide the Medical Examiner with a personally certified statement of medical facts concerning personal, familiar and hereditary matters (see Form ALD/LIC/F063).

The applicant shall be made aware of the necessity for giving a statement that is as complete and accurate as the applicant's knowledge permits, and any false declaration shall be dealt with in accordance with Bahrain Civil Aviation Law Articles 120, 121 and 124.

The holder of a medical certificate shall present it to the AME at the time of the revalidation or renewal of that certificate (see IEM FCL 3.100).

6.3 Confidentiality

All information obtained by the AME (including non-medical details such as name and address) must be regarded as confidential. All medical reports and records are securely held with accessibility restricted to authorised personnel.

6.4 Conduct of Assessment

AMEs should conduct the medical assessment in accordance with the instructions in ANTR-FCL 3, Section 2.

AMEs should complete the medical examination even if they find, during the course of the examination, that the applicant has a condition that may be disqualifying. The AME should inform the applicant of the outcome at the end. The AME can then either defer a decision pending the receipt of further reports or issue a denial certificate.

AMEs should remember to ask all holders of PPLs if they have an Instrument rating as they will need regular audiometry in accordance with Class 1 frequency.

Note: Refer to Appendix 2 for summary of Class 1 & Class 2 minimum periodic requirements and Appendix 3 for summary of Class 3 minimum periodic requirements.

7. COMPLETION OF MEDICAL REPORT

7.1 Procedures

The AME will use only one Medical Report Form (ALD/LIC/F063) for all classes of medical assessments, for both initial issue and renewal examinations (Appendix 4 refers).

Having completed the medical examination of the applicant shall coordinate the results of the examination and submit a signed report detailing the results of the examination and evaluating the findings with regard to medical fitness.

If the medical examination is carried out by two or more medical examiners, the appointed medical assessor shall be responsible for coordinating the results of the examination, evaluating the findings with regard to medical fitness, and signing the report.

Any false declaration to a medical examiner made by an applicant for a licence or rating shall be reported to Bahrain CAA of the issuing State for such action as may be considered appropriate.

7.2 Submission to CAA

The AME must complete all forms as soon as possible and certainly within 5 days. Forward them to the Chief Aviation Permits and Licensing Section, Civil Aviation Affairs. If a medical certificate has been denied or decision referred, documentation must be forwarded immediately by post and preferably also by fax (to fax no: +973 17 321 061).

The medical examiner shall be required to submit sufficient medical information to Bahrain CAA to enable the Authority to audit Medical Assessments.

Bahrain CAA shall assess and review the medical reports submitted by an AME and advise comments, if any, to the AME. If no comments are advised within 60 days, the report shall be deemed to be approved.

8. MEDICAL CERTIFICATE

8.1 Content of Certificate

The medical certificate shall contain the following information:

- (1) Reference number (as designated by the Authority)
- (2) Class of certificate
- (3) Full name
- (4) Date of birth
- (5) Expiry date of the medical certificate
 - (a) For Class 1:
 - (i) expiry date (single pilot commercial air transport operations carrying passengers);
 - (ii) expiry date (other commercial operations);
 - (b) For Class 2 and Class 3:
 - (i) expiry date of the medical certificate;
- (6) Date of medical examination
- (7) Due date of next electrocardiography
- (8) Due date of next audiometry
- (9) Limitations, conditions and/or variations
- (10) AME name, number and signature

8.2 Issuance of Medical Certificate

The AME may issue the Medical Certificate directly to the applicant, if the appropriate standard is met, on Bahrain CAA Form ALD/LIC/F077 (Appendix 5 refers). On completion of the examination, whether leading to the issue or denial of a Medical Certificate, the AME must forward the original form (ALD/LIC/F063) and must retain a copy of the form, for a minimum of eight years, for future reference.

9. VALIDATION REQUIREMENTS

The period of validity of a Medical Assessment shall begin on the day the medical examination is performed. AMEs should take great care to issue certificates with correct expiry dates.

9.1 Normal Revalidation

- (a) If the medical revalidation is taken up to 45 days prior to the expiry date, the expiry of the new certificate is calculated by adding the period, as applicable to the expiry date of the previous medical certificate.
- (b) A medical certificate revalidated prior to its expiry becomes invalid once a new certificate has been issued.
- (c) Renewal. If the medical examination is not taken within the 45 day period referred to above, the expiry date will be with effect from the date of the next general medical examination.
- (d) Requirements for revalidation or renewal. The requirements to be met for the revalidation or renewal of medical certificates are the same as those for the initial issue of the certificate, except where specifically stated otherwise.
- (e) Reduction in the period of validity. The period of validity of a medical certificate may be reduced by an AME in consultation with the AMS when clinically indicated.

9.2 Expired Certificates

- (a) If a licence holder allows his Medical Certificate to expire by more than five years, renewal shall require an initial or extended examination to be performed, at AME discretion.
- (b) If a licence holder allows his Medical Certificate to expire by more than two years but less than five years, renewal shall require the prescribed standard or extended examination to be performed, at AME discretion.
- (c) If a licence holder allows his certificate to expire by more than 90 days but less than two years, renewal shall require the prescribed standard or extended examination to be performed at AME discretion.
- (d) If a licence holder allows his certificate to expire by less than 90 days, renewal shall be possible by standard or extended examination as prescribed.
- Note 1: An extended aeromedical examination shall always be considered to contain a standard aeromedical examination and thus count both as a standard and an extended examination.
- Note 2: The period of validity of a Medical Assessment may be reduced when clinically indicated.

9.3 Candidates Turning 40/50/60 Years of Age

Candidates who at the time of their current medical exam are less than 40/50/60 years of age (as applicable) but are going to be 40/50/60 years of age (as applicable) before the next

medical, the validity date of their next medical must be within 6 months of their 40/50/60 birthday.

10. MEDICAL FITNESS

10.1 Failure to Meet Standards

If all Bahrain CAA medical requirements are not clearly met, or if a doubt exists about the fitness of the applicant for the class of medical certificate applied, either refer the decision to Chief Aviation Permits and Licensing Section and deny issuance of a certificate. Denial of a certificate requires that form ALD/LIC/F097 - Notification of Denial of Medical Certificate (Refer to Appendix 6) is completed and given to the applicant. He/she must be informed of their right to review by the AME and it should be explained to them why a certificate isbeing denied. If a medical certificate has been denied or decision referred, documentation must be forwarded immediately to the Chief Aviation Permits and Licensing Section by post and preferably also by fax (to fax no: +973 17 321 061).

The medical examiner shall report to Bahrain CAA any individual case where, in the examiner's judgement, an applicant's failure to meet any requirement, whether numerical or otherwise, is such that exercise of the privileges of the licence being applied for, or held, is not likely to jeopardize flight safety

If the prescribed medical Standards for a particular licence are not met, the appropriate Medical Assessment shall not be issued or renewed unless the following conditions are fulfilled:

- (a) accredited medical conclusion indicates that in special circumstances the applicant's failure to meet any requirement, whether numerical or otherwise, is such that exercise of the privileges of the licence applied for is not likely to jeopardize flight safety;
- (b) relevant ability, skill and experience of the applicant and operational conditions have been given due consideration; and
- (c) the licence is endorsed with any special limitation or limitations when the safe performance of the licence holder's duties is dependent on compliance with such limitation or limitations.

An applicant who has been denied a medical certificate will be informed of this in writing in accordance with IEM FCL 3.100 and of his right of review by the Authority. Information concerning such denial will be collated by the Authority within 5 working days and be made available to other Authorities. Medical information supporting this denial will not be released without prior consent of the applicant.

In cases where the applicant does not fully meet the medical requirements and in complicated and unusual cases, the evaluation may have to be deferred and the case submitted to the medical assessor of Bahrain CAA for final evaluation. In such cases due regard must be given to the privileges granted by the licence applied for or held by the applicant for the Medical Assessment, and the conditions under which the licence holder is going to exercise those privileges in carrying out assigned duties. The CAA may consider the convening of a Medical Board (Refer to 10.4 below).

10.2 Notification of Medical Fitness

Holders of medical certificates must, without undue delay, seek the advice of the AME when;

- (a) hospital or clinic admission for more than 12 hours; or
- (b) surgical operation or invasive procedure; or
- (c) the regular use of medication; or
- (d) the need for regular use of correcting lenses.
- (e) any significant personal injury involving incapacity to function at their assigned duty station; or
- (f) any illness involving incapacity to function at their assigned duty station; throughout a period of 21 days or more; or
- (g) being pregnant,

Holders of medical certificates must inform the AME, who shall subsequently inform the CAA, in writing of such injury or pregnancy, and as soon as the period of 21 days has elapsed in the case of illness. The medical certificate shall be deemed to be suspended upon the occurrence of such injury or the elapse of such period of illness or the confirmation of the pregnancy.

In the case of injury or illness the suspension shall be lifted upon the holder by the AME in consultation with the Authority being medically assessed by the AME or under arrangements made by the Authority and being pronounced fit to function at their assigned duty station, or upon the Authority exempting, subject to such conditions as it thinks appropriate, the holder from the requirement of a medical examination. In the case of pregnancy, the suspension may be lifted by the AME in consultation with the CAA for such period and subject to such conditions as it thinks appropriate.

10.3 Incapacity of a Licence Holder

Every flight crew licence holder is required to notify the CAA of any incapacitating illness or injury in excess of 20 days or notification of pregnancy. AMEs, who are aware that a licence holder has undergone a surgical procedure, should refer to ANTR-FCL 3 to determine the time away from flying duties. Should the guidance material be inappropriate, the AME should refer the matter to the CAA for consideration.

Any injury or illness, which prevents the licence holder from performing his/her duties for a continuous period of 20 days or more, shall be deemed to have that licence automatically suspended. AME's who become aware of this situation are obliged to notify the CAA.

The suspension can only be lifted by the AME and may require the convening of an Aeromedical Evaluation Board.

10.4 Convening a Medical Board

Medical Evaluation Boards are convened in various situations where the applicant does not meet the required medical standards as prescribed for the class of medical assessment. The decision to conduct a medical board can be made based either at the request of the candidate, or the concerned AME, or the need as ascertained by the CAA.

Once the decision has been taken, the Chief Aviation Permits and Licensing Section will nominate an AME as the President of the Board authorising him/her to conduct the Board on the specified candidate for the specified reasons and also informing him of any AMEs who will assist him/her. The purpose of the Board will be to determine the applicant's fitness, the medical restrictions which may be imposed to maintain a reasonable level of safety, the lifting of restrictions, a change in the medical category of the individual or any other reason as may be deemed necessary by the CAA.

The Board usually comprises of two CAA authorised AMEs one of whom is appointed in the capacity of the President of the Board. The CAA may authorise the President of the Board to consult with other experts in the medical community to conduct a proper evaluation of the applicant's medical qualification. The President, after arriving at a formal medical conclusion, will formally present a written report to the CAA. Original copies of all tests conducted by the Board should be forwarded to the CAA, a copy should be retained by the President and another copied to the licence holder's AME. The Chief Aviation Permits and Licensing Section shall review the findings and consider the Board's recommendations as to the applicant's medical qualifications. The CAA may uphold the recommendations of the Board, or disapprove the recommendations.

10.5 Medical Issues Not Requiring Board

A Board need not be convened, if in the opinion of the AME, the illness, injury, disability, or further treatment does not affect the applicant's licence and rating privileges. The CAA must be consulted and give approval to waive the Board prior to the issuance of a medical certificate.

10.6 Limitations

An AME may place a limitation on the medical certificate in accordance with ANTR-FCL 3. Normally, the only time an AME will place a limitation on the medical certificate is when the standard of visual acuity can only be obtained with the use of correcting lenses. Other deficiencies requiring a limitation may require a waiver to be issued and the AME should consult with the CAA. Please refer to ANTR FCL-3 for wording to be placed on the Certificate.

As soon as it is ascertained by the AME that a limitation is no more required the AME should immediately inform the CAA and the CAA will determine whether the limitation can be removed and whether there is a need for the convening of a Medical Board for this purpose.

10.7 Aeromedical Waivers

If a licence holder with an aeromedical waiver or statement of demonstrated ability from a foreign regulatory authority applies for a medical examination with an authorised AME, the AME must contact the Chief Aviation Permits and Licensing Section and request guidance

before issuing the Medical Certificate. The Chief Aviation Permits and Licensing Section will advise on that foreign waiver, either accepting it or consulting with the AME for further testing to confirm the applicant's continued medical suitability.

11. USE OF PSYCHOACTIVE SUBSTANCES

11.1 Positive Result of Drug Testing

Should an AME receive notification of a positive result, he/she should notify the candidate involved that the urine has tested positive and enquire whether there might be a genuine and legitimate reason for the positive testing (e.g. certain medications which might be available in certain countries as "over the counter" but might have one or more of the substances which might test positive.)

The CAA should be informed about the complete details and a repeat test can be performed if it can be justified within a reasonable period of time.

If a second test is also positive the following steps should immediately be taken by the AME.

- (a) Notify the person involved that the medical certificate is suspended.
- (b) Notify the CAA.
- (c) Notify the appropriate authorities if illegal substances are involved.

11.2 Appeal Process for Positive Testing

In the event that the person involved has a legitimate reason for the use of the drug, such as a medical prescription or the use of specific over the counter medicines, the AME may request a Board be convened to review the medical certificate suspension.

Note: Return to the safety-critical functions may be considered after successful treatment or, in cases where no treatment is necessary, after cessation of the problematic use of substances and upon determination that the person's continued performance of the function is unlikely to jeopardize safety.

This Page Intentionally Left Blank

APPENDIX 1

CLASS 3 MEDICAL ASSESSMENT FOR ATC LICENCE

- Note1: Unless otherwise indicated, the general requirements for medical assessments shall be in accordance with ANTR FCL 3.
- Note 2: ICAO Document 8984 Manual of Civil Aviation Medicine shall be used as the primary reference document.

1 Assessment Issue and Renewal

- 1.1 An applicant for an Air Traffic Controller licence shall undergo an initial medical examination for the issue of a Class 3 Medical Assessment.
- 1.2 Except where otherwise stated in this Appendix, holders of an Air Traffic Controller licence shall have their Class 3 Medical Assessment renewed at intervals not exceeding those specified in 5.2.

2 Physical and Mental Requirements

- 2.1 The applicant shall not suffer from any disease or disability, which could render that applicant likely to become suddenly unable to perform duties safely.
- 2.2 The applicant shall have no established medical history or clinical diagnosis of:
 - (a) an organic mental disorder;
 - (b) a mental or behavioural disorder due to psychoactive substance use; this includes dependence syndrome induced by alcohol or other psychoactive substances;
 - (c) schizophrenia or a schizotypal or delusional disorder;
 - (d) a mood (affective) disorder;
 - (e) a neurotic, stress-related or somatoform disorder;
 - (f) a behavioural syndrome associated with physiological disturbances or physical factors;
 - (g) a disorder of adult personality or behaviour, particularly if manifested by repeated overt acts;
 - (h) mental retardation;
 - (i) a disorder of psychological development;
 - (j) a behavioural or emotional disorder, with onset in child hood or adolescence; or
 - (k) a mental disorder not otherwise specified;

such as might render the applicant unable to safely exercise the privileges of the licence applied for or held.

- 2.2.1 An applicant with depression, being treated with antidepressant medication, shall be assessed as unfit unless the medical assessor, having access to the details of the case concerned, considers the applicant's condition as unlikely to interfere with the safe exercise of the applicant's licence and rating privileges.
- 2.3 The applicant shall have no established medical history or clinical diagnosis of any of the following:
 - (a) a progressive or non-progressive disease of the nervous system, the effects of which are likely to interfere with the safe exercise of the applicant's licence and rating privileges;
 - (b) epilepsy; or
 - (c) any disturbance of consciousness without satisfactory medical explanation of cause.
- 2.4 The applicant shall not have suffered any head injury, the effects of which are likely to interfere with the safe exercise of the applicant's licence and rating privileges.
- 2.5 The applicant shall not possess any abnormality of the heart, congenital or acquired, which is likely to interfere with the safe exercise of the applicant's licence and rating privileges.
- 2.5.1 An applicant who has undergone coronary bypass grafting or angioplasty (with or without stenting) or other cardiac intervention or who has a history of myocardial infarction or who suffers from any other potentially incapacitating cardiac condition shall be assessed as unfit unless the applicant's cardiac condition has been investigated and evaluated in accordance with best medical practice and is assessed not likely to interfere with the safe exercise of the applicant's licence and rating privileges.
- 2.5.2 An applicant with an abnormal cardiac rhythm shall be assessed as unfit unless the cardiac arrhythmia has been investigated and evaluated in accordance with best medical practice and is assessed not likely to interfere with the safe exercise of the applicant's licence and rating privileges.
- 2.6 Electrocardiography shall form part of the heart examination for the first issue of a Medical Assessment.
- 2.6.1 Electrocardiography shall be included in re-examinations of applicants after the age of 50 no less frequently than every two years.
 - Note: The purpose of routine electrocardiography is case finding. It does not provide sufficient evidence to justify disqualification without further thorough cardiovascular investigation.
- 2.7 The systolic and diastolic blood pressures shall be within normal limits.

- 2.7.1 The use of drugs for control of high blood pressure is disqualifying except for those drugs, the use of which is compatible with the safe exercise of the applicant's licence privileges.
- 2.8 There shall be no significant functional nor structural abnormality of the circulatory system.
- 2.9 There shall be no disability of the lungs nor any active disease of the structures of the lungs, mediastinum or pleurae likely to result in incapacitating symptoms.
 - Note: Chest radiography is usually not necessary but may be indicated in cases where asymptomatic pulmonary disease can be expected.
- 2.10 Applicants with chronic obstructive pulmonary disease shall be assessed as unfit unless the applicant's condition has been investigated and evaluated in accordance with best medical practice and is assessed not likely to interfere with the safe exercise of the applicant's licence or rating privileges.
- 2.11 Applicants with asthma causing significant symptoms or likely to cause incapacitating symptoms shall be assessed as unfit.
- 2.11.1 The use of drugs for control of asthma shall be disqualifying except for those drugs, the use of which is compatible with the safe exercise of the applicant's licence and rating privileges.
- 2.12 Applicants with active pulmonary tuberculosis shall be assessed as unfit.
- 2.12.1 Applicants with quiescent or healed lesions, known to be tuberculous or presumably tuberculous in origin, may be assessed as fit.
- 2.13 Applicants with significant impairment of the function of the gastrointestinal tract or its adnexae shall be assessed as unfit.
- 2.14 Applicants with sequelae of disease of or surgical intervention on any part of the digestive tract or its adnexa, likely to cause incapacitation, in particular any obstructions due to stricture or compression, shall be assessed as unfit.
- 2.14.1 An applicant who has undergone a major surgical operation on the biliary passages or the digestive tract or its adnexa, with a total or partial excision or a diversion of any of these organs should be assessed as unfit until such time as the medical assessor, having access to the details of the operation concerned, considers that the effects of the operation are not likely to cause incapacitation.
- 2.15 Applicants with metabolic, nutritional or endocrine disorders that are likely to interfere with the safe exercise of their licence and rating privileges shall be assessed as unfit.
- 2.16 Applicants with insulin-treated diabetes mellitus shall be assessed as unfit.
- 2.16.1 Applicants with non-insulin-treated diabetes shall be assessed as unfit unless the condition is shown to be satisfactorily controlled by diet alone or by diet combined with oral anti-diabetic medication, the use of which is compatible with the safe exercise of the applicant's licence and rating privileges.

- 2.17 Applicants with diseases of the blood and/or the lymphatic system shall be assessed as unfit, unless adequately investigated and their condition found unlikely to interfere with the safe exercise of their licence and rating privileges.
- 2.18 Applicants with renal or genito-urinary disease shall be assessed as unfit unless adequately investigated and their condition found unlikely to interfere with the safe exercise of their licence and rating privileges.
- 2.18.1 Urine examination shall form part of the medical examination and abnormalities shall be adequately investigated.
- 2.19 Applicants with sequelae of disease of, or surgical procedures on the kidneys or the genitourinary tract, in particular obstructions due to stricture or compression, shall be assessed as unfit unless the applicant's condition has been investigated and evaluated in accordance with best medical practice and is assessed not likely to interfere with the safe exercise of the applicant's licence or rating privileges.
- 2.19.1 Applicants who have undergone nephrectomy shall be assessed as unfit unless the condition is well compensated.
- 2.20 Applicants with acquired immunodeficiencysyndrome (AIDS) shall be assessed as unfit.
- 2.20.1 Applicants who are seropositive for human immunodeficiency virus (HIV) shall be assessed as unfit unless full investigation provides no evidence of clinical disease.
 - Note: Evaluation of applicants who are seropositive for human immunodeficiency virus (HIV) requires particular attention to their mental state, including the psychological effects of the diagnosis.
- 2.21 Applicants with gynaecological disorders that are likely to interfere with the safe exercise of their licence and rating privileges shall be assessed as unfit.
- 2.22 Applicants who are pregnant shall be assessed as unfit unless obstetrical evaluation and continued medical supervision indicate a low-risk uncomplicated pregnancy.
- 2.22.1 During the gestational period, precautions should be taken for the timely relief of an air traffic controller in the event of early onset of labour or other complications.
- 2.22.2 For applicants with a low-risk uncomplicated pregnancy, evaluated and supervised in accordance with paragraph 2.21, the fit assessment should be limited to the period until the end of the 34th week of gestation.
- 2.23 Following confinement or termination of pregnancy the applicant shall not be permitted to exercise the privileges of her licence until she has undergone re-evaluation in accordance with best medical practice and it has been determined that she is able to safely exercise the privileges of her licence and ratings.

2.24 The applicant shall not possess any abnormality of the bones, joints, muscles, tendons or related structures which is likely to interfere with the safe exercise of the applicant's licence and rating privileges.

Note: Any sequelae after lesions affecting the bones, joints, muscles or tendons, and certain anatomical defects will normally require functional assessment to determine fitness.

- 2.25 The applicant shall not possess any abnormality or disease of the ear or related structures which is likely to interfere with the safe exercise of the applicant's licence and rating privileges.
- 2.26 There shall be no malformation, nor any disease of the nose, buccal cavity or upper respiratory tract, which is likely to interfere with the safe exercise of the applicant's licence and rating privileges.
- 2.27 Applicants with stuttering or other speech defects sufficiently severe to cause impairment of speech communication shall be assessed as unfit.

3 Visual Requirements

The medical examination shall be based on the following requirements.

- 3.1 The function of the eyes and their adnexa shall be normal. There shall be no active pathological condition, acute or chronic, nor any sequelae of surgery or trauma of the eyes or their adnexa likely to reduce proper visual function to an extent that would interfere with the safe exercise of the applicant's licence and rating privileges.
- 3.2 Distant visual acuity with or without correction shall be 6/9 or better in each eye separately, and binocular visual acuity shall be 6/6 or better. No limits apply to uncorrected visual acuity. Where this standard of visual acuity can be obtained only with correcting lenses, the applicant may be assessed as fit provided that:
 - (a) such correcting lenses are worn during the exercise of the privileges of the licence or rating applied for or held; and
 - (b) in addition, a pair of suitable correcting spectacles is kept readily available during the exercise of the privileges of the applicant's licence.

Note: An applicant accepted as meeting these provisions is deemed to continue to do so unless there is reason to suspect otherwise, in which case an ophthalmic report is required at the discretion of CAA. Both uncorrected and corrected visual acuity are normally measured and recorded at each re-examination. Conditions which indicate a need to obtain an ophthalmic report include: a substantial decrease in the uncorrected visual acuity, any decrease in best corrected visual acuity, and the occurrence of eye disease, eye injury or eye surgery.

- 3.2.1 Applicants may use contact lenses to meet this requirement provided that:
 - (a) the lenses are monofocal and non-tinted;

- (b) the lenses are well tolerated; and
- (c) a pair of suitable correcting spectacles is kept readily available during the exercise of the licence privileges.

Note: Applicants who use contact lenses may not need to have their uncorrected visual acuity measured at each re-examination provided the history of their contact lens prescription is known.

3.2.2 Applicants with a large refractive error shall use contact lenses or high-index spectacle lenses.

Note: If spectacles are used, high-index lenses are needed to minimize peripheral field distortion.

3.2.3 Applicants whose uncorrected distant visual acuity in either eye is worse than 6/60 shall be required to provide a full ophthalmic report prior to initial Medical Assessment and every five years thereafter.

Note: The purpose of the required ophthalmic examination is

- (1) to ascertain normal vision performance, and
- (2) to identify any significant pathology.
- 3.3 Applicants who have undergone surgery affecting the refractive status of the eye shall be assessed as unfit unless they are free from those sequelae which are likely to interfere with the safe exercise of their licence and rating privileges.
- 3.4 The applicant shall have the ability to read, while wearing the correcting lenses, if any, required by paragraph 3.2, the N5 chart or its equivalent at a distance selected by that applicant in the range of 30 to 50 cm and the ability to read the N14 chart or its equivalent at a distance of 100 cm. If this requirement is met only by the use of near correction, the applicant may be assessed as fit provided that this near correction is added to the spectacle correction already prescribed in accordance with paragraph 3.2; if no such correction is prescribed, a pair of spectacles for near use shall be kept readily available during the exercise of the privileges of the licence. When near correction is required, the applicant shall demonstrate that one pair of spectacles is sufficient to meet both distant and near visual requirements.
 - *Note 1: N5 and N14 refer to the size of typeface used.*
 - Note 2: An applicant who needs near correction to meet the requirement will require "look-over", bifocal or perhaps multi-focal lenses in order to read radar screens, visual displays and written or printed material and also to make use of distant vision, through the windows, without removing the lenses. Single-vision near correction (full lenses of one power only, appropriate for reading) may be acceptable for certain air traffic control duties. However, it should be realized that single-vision near correction significantly reduces distant visual acuity.

- Note 3: Whenever there is a requirement to obtain or renew correcting lenses, an applicant is expected to advise the refractionist of reading distances for the air traffic control duties the applicant is likely to perform.
- 3.4.1 When near correction is required in accordance with this paragraph, a second pair of near-correction spectacles shall be kept available for immediate use.
- 3.5 The applicant shall be required to have normal fields of vision.
- 3.6 The applicant shall be required to have normal binocular function.
- 3.6.1 Reduced stereopsis, abnormal convergence not interfering with near vision, and ocular misalignment where the fusional reserves are sufficient to prevent asthenopia and diplopia need not be disqualifying.

4 Hearing Requirements

- 4.1 The applicant, when tested on a pure-tone audiometer shall not have a hearing loss, in either ear separately, of more than 35 dB at any of the frequencies 500, 1 000 or 2 000 Hz, or more than 50 dB at 3 000 Hz.
- 4.1.1 An applicant with a hearing loss greater than the above may be declared fit provided that the applicant has normal hearing performance against a background noise that reproduces or simulates that experienced in a typical air traffic control working environment.
 - Note 1: The frequency composition of the background noise is defined only to the extent that the frequency range of 600 to 4 800 Hz (speech frequency range) is adequately represented.
 - Note 2: In the speech material for discrimination testing, both aviation-relevant phrases and phonetically balanced words are normally used.
- 4.1.2 Alternatively, a practical hearing test conducted in an air traffic control environment representative of the one for which the applicant's licence and ratings are valid may be used.

This Page Intentionally Left Blank

APPENDIX 2

SUMMARY OF CLASS 1 & CLASS 2 MINIMUM PERIODIC REQUIREMENTS

	CLASS 1	CLASS 2
LICENCE	COMMERCIAL PILOT AIRLINE TRANSPORT PILOT	STUDENT PILOT PRIVATE PILOT FLIGHT ENGINEER
INITIAL EXAMINATION (Reference ANTR-FCL 3.100)	AMC	AMC OR AME *
ISSUE OF MEDICAL CERTIFICATE (ANTR-FCL 3.100)	Initial: AMS Renewal: AMC or AME	AMC or AME
VALIDITY OF MEDICAL CERTIFICATE (3.105)	Under 40 - 12 months 40-59, single-pilot Comm air transport carrying pax - 6 months 40-59, other comm Air transport - 12 months 60 and over - 12 months	Under 40 - 60 months 40-49 - 24 months 50 and over - 12 months
HAEMOGLOBIN (3.180 and 3.300)	At initial then every examination	At initial
ELECTROCARDIOGRAM (3.130 and 3.250)	At initial then under 30 - 5 yearly 30 - 39 - 2 yearly 40 - 49 - annually 50 and over - all reval/renewal	At initial then 40 - 49 - 2 yearly 50 and over - annually
AUDIOGRAM (3.235 and 3.355)	At initial then under 40 - 5 yearly 40 and over - 2 yearly	At initial issue of instrument rating then under 40 - 5 yearly 40 and over - 2 yearly
COMPREHENSIVE OTORHINOLARYNGOLOGICAL EXAMINATION (3.230 and 3.350)	At initial by AMC or specialist then if indicated	
OPHTHALMOLOGICAL EXAMINATION (3.215 and 3.335, Appendix 1)	At initial and if refractive error exceeds + 3 dioptres Specialist reports every 5 years if refractive error exceeds + 3 up to and including + 5 dioptres or exceeds -3 up to and including -6 dioptres Specialist reports every 2 years if refractive error exceeds -6 dioptres	At initial by AME or specialist
LIPID PROFILE (3.130 and 3.250)	At initial then age 40	If two or more coronary risk factors are identified at initial then age 40
PULMONARY FUNCTION TESTS (3.155 and 3.275)	At initial then if indicated	If indicated
URINALYSIS (3.185 and 3.305)	At initial then every examination	At initial then every examination

This Page Intentionally Left Blank

APPENDIX 3

SUMMARY OF CLASS 3 MINIMUM PERIODIC REQUIREMENTS

MEDICAL	CLASS 3
LICENCE TYPE	AIR TRAFFIC CONTROLLER
INITIAL EXAMINATION	AMC or AME
ISSUE OF MEDICAL	Initial: AMS
CERTIFICATE	initial. Third
	Renewal: AMC or AME
VALIDITY OF MEDICAL	Under 40 – 48 months
CERTIFICATE	Onder 40 — 40 months
	40 and over -24 months
HAEMOGLOBIN	At initial
ELECTROCARDIOGRAM	At initial then
LELO INO CHILD TO GRAIN	50 and over – 24 months
	At initial then practical
AUDIOGRAM	hearing test every examination
	Cxammation
OPHTHALMOLOGICAL	At initial by AME or
EXAMINATION	specialist
LIPID PROFILE	If indicated
PULMONARY FUNCTION	If indicated
TESTS	
URINALYSIS (ANTER ECL. 2.195 and 2.205)	At initial then every examination
(ANTR FCL 3.185 and 3.305)	examination

This Page Intentionally Left Blank

APPENDIX 4

MEDICAL REPORT

MEDICA	MEDICAL REPORT Please complete BLOCK Capitals					Place & Date of Birth CPR Nationality										
Please comple	ete BLO	CK Capitals		OCCUPATION			AGE		SEX	EN	EMPLOYER			MARITAL STATUS		
INITIAL		RENEWA	AL.					E I ST								
Full Name															MR/I	
Permanent Address										Tel.l	No.					
Postal Address										Tel.	No.					
Type of Licence(s)		Required	Held		Lic	ence No.	P	lot Flight T	īme							
Airline Transport Pilot							To	otal				Since	Last	Medical		
Commercial Pilot	1															
Flight Engineer				-	Aircraft t	lown since	last me	dical					-			
				-	Single P	March Street Street Street		1000	edium				L	arge		
PPL Instrument Rating				_												
Private																
Student					If involve	ed in an air	rcraft ac	cident sind	ce last	medica	al exa	minatio	n, giv	e data and locat	tion:	
ATCO																
Cabin Crew		H44	-													
ANY HISTORY OF TREA	ATMEN	T OF														
Alcohol Abuse Y	N	Medications				If YES -	Drug	Dose		Date	Start	ted		Why		
Drug Abuse Y	N	Currently Pre	scribed	Y	N				М	M Y	Y	Y	Y			
Current Smoker Y	N	Number of Ye	ears	Dat	e Stopp	ed	Mile	Cigs/Day	, '				C	igars/week		
MEDICAL HISTORY - If	YES ple	ease tick and d	escribed in	n rema	arks (add	d suppleme	ntary no	otes if space	e insu	fficient)						
Family History of			F	leview	of Syste	ms - Have yo	ou a hist	ory of								
1 Heart disease			8	Eye	trouble, r	efractive surg	gery			16 Ne	ervous	trouble	of any	sort		
2 High blood pressure			9	-	fever or a					7.5111111111111111				adaches	-	
3 Epilepsy						or high blood	The second	e		1100	10000			inconsciousness	-	
4 Mental illness 5 Diabetes						or blood in u min in urine	nne		-		- 170	or tropic re HIV te	19800	ase	+	
Have you ever been	-				nach trou	Total Commence of the Commence								or disorders	+	
6 Refused an aviation licer	nce or m	edical certificate			100	oncussion	3					on to ho	4110			
7 Convicted of a civil or cr	iminal off	ence	1	5 Epile	epsy of fit	S				23 Ar	ny othe	er illness	or inj	ury		
REMARKS - if no chang Declaration I hereby declare the made any misleading statement.	at I have c I understa	arefully considered nd that if I have, wit	the statement	ceive, ma	ade any fal	se representation	on for the	purpose of pro	curing fo	r myself a	medic	cal certific	ate , I n	nay be guilty of a crimin	nal offer	
Consent to obtaining and reali my health from any medical advi	ser or hos	pital consulted by n	I hereby con- ne. I further co	sent to to	nat medical	ation Affairs (si information the MINER NAM	at is releva	I hold, or am a ant to any licer	applicant nce I holo	for a me i, or am a	dical co an appl	ertificate dicant for,	or its re	newal) obtaining information disclosed to other divi-	sions.	
23.01.00.01					(Block I		VIII.									
Place					SIGN	ATURE:					Ţ					
Medical Certificate		Referred		P	EXAN	NOITANI	DATE:									
Issued	17	Cicioned														

Check each tem	EGG Completed	Υ	N	CXR	ed Y	N	Audio Completed	Υ	N	Additiona Investiga	ition		7	lesults							
Mail	Recd	Υ	N	Recd	Υ	N	Recd	Υ	N	Date Adv	rised										
Auth-Colour-EYE Puse Recument Check each item Abnormal Rotes - Describe each abnormal item Notes - Describe each abnormal item	Date			Date			Date			Date Per	formed										
Authorical Check each file make Recovered to Check each file make and the	HEIGHT (cm)			WEIGHT	(cm)		Recumb, Blood	d Pressure	9	Scars, Ma	arks, Tal	ttoos, Deform	nities		*Vit	alograph		FE	V1		
Part							Systolic								FV			F	vc		
Check each tem	HAIR - COLOL	IR - EYE			PULSE RECU	MBENT														Y	N
25 Head & Neck 26 Mouth Throat & Teeth 27 Sinuses 28 Ear Drums Valsalva 29 Lungs Chest & Breast 30 Heart Size & Vascular System 31 Abdomen Hernia Liver Spieen 32 Anus Rectum 33 Genito Urinary System 34 Endocrine System 35 Upper Lower Limps Joints 36 Spine & Full Movements 37 Neurologic - Reflexes etc. 38 Psychiatric 39 Skin, Lymphatics 40 Last Menstruation - Date DRINALYSIS V N VISION Fight Left REFRACTION Sph Right Left REFRACTION Sph Right Axis Sph Cyl Axis Sph C							Diastolic								Dat	е					
26 Mouth Throat & Teeth	Vormal		Check	each iter	n A	bnorma	ıl Not	es - Des	cribe e	ach abno	rmal ite	em									
26 Mouth Throat & Teeth	25	Head	1 & N	eck																	10.00
27 Sinuses 28 Ear Drums Valsalava 29 Lungs Chest & Breast 30 Heart Size & Vascular System 31 Abdomen Hernia Liver Spleen 32 Anus Rectum 33 Genito Urinary System 34 Endocrine System 35 Upper Lower Limps Joints 36 Spine & Full Movements 37 Neurologic - Reflexes etc. 38 Psychiatric 39 Skin, Lymphatics 40 Last Menstruation - Date PHI Protein Ghoose Blood Ketoves Blood Uricinogen OfficerComments First & Adnex Normal PH Protein Ghoose Sinchight Test Speciades Y N Distance Spice Full Movements First & Adnex Normal PH Protein Ghoose Sinchight Test Speciades Y N Distance Spice Full Movements First & Adnex Normal PH Protein Ghoose Sinchight Test Speciades Y N Distance Spice Full Movements First & Adnex Normal PH Protein Ghoose Sinchight Test Speciades Y N Distance Spice Full Movements First & Adnex Normal PH Protein Ghoose Sinchight Test Speciades Y N Distance Spice Full Movements First & Adnex Normal PH Protein Ghoose Sinchight Test Speciades Y N Distance Spice Full Movements First & Adnex Normal PH Protein Ghoose Sinchight Test Speciades Y N Distance Spice Full Movements First & Adnex Normal PH Protein Ghoose Sinchight Test Speciades Y N Distance Spice Full Movements First & Adnex Normal PH Protein Ghoose Sinchight Test Spice Corrected Spice Full Movements First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Protein Ghoose Sinchight Test First & Adnex Normal PH Prote	26	Mout	h Thr	nat & T	eeth																
28 Ear Drums Valsalva 29 Lungs Chest & Breast 30 Heart Size & Vascular System 31 Abdomen Hernia Liver Spleen 32 Anus Rectum 33 Genito Urinary System 34 Endocrine System 35 Upper Lower Limps Joints 36 Spine & Full Movements 37 Neurologic - Reflexes etc. 38 Psychiatric 39 Skin, Lymphatics 40 Last Menstruation - Date VISION Flight Left REFRACTION Sph Right V N Distant Glocose Flight Left REFRACTION Sph Right V N Distance Fright Left REFRACTION Sph Right V N Distance Fright Sandard Fright Left REFRACTION Sph Right V N Distance Fright Left REFRACTION Sph Right V N Distance Fright Left REFRACTION Sph Right V N Distance Fright V N Distance Fright V N N New Converted NS at Uncorrected NS at Uncorrected NS at Octoor Corrected Octoor Corrected AudDiOGRAM Auditory Comments Corrected AudDiOGRAM Auditory Comments Comme		10000000	nero consenso		-		-														
29	200000			Valee	VO.	_															
30 Heart Size & Vascular System		783.54	2000	marratus.	Witter:																
31 Abdomen Hernia Liver Spleen 32 Anus Rectum 33 Genito Urinary System 34 Endocrine System 35 Upper Lower Limps Joints 36 Spine & Full Movements 37 Neurologic - Reflexes etc. 38 Psychiatric 39 Skin, Lymphatics 40 Last Menstruation - Date VISION PH Protein Glucose Blood Kelones Blinubin Urchillogen Officer Comments VISION PH Protein Glucose Blood Relones Blinubin Urchillogen Officer Comments VISION PH Protein Glucose Blood Relones Blinubin Urchillogen Officer Comments VISION PH Protein Glucose Blood Relones Blinubin Urchillogen Officer Comments VISION PH Protein Glucose Blood Relones Blinubin Urchillogen Officer Comments VISION PH Protein Glucose Blood Relones Blinubin Urchillogen Officer Comments VISION PH Protein Glucose Blood Relones Blinubin Urchillogen Officer Comments VISION PH Protein Glucose Blood Relones Blinubin Urchillogen Officer Comments VISION PH Protein Glucose Blood Relones Blinubin Urchillogen Officer Comments VISION PH Protein Glucose Blood Relones Blinubin Urchillogen Officer Comments VISION PH Protein Glucose Blood Relones Blinubin Urchillogen Officer Comments VISION PH Protein Glucose Bl		-				10000															
32 Anus Rectum 33 Genito Urinary System 35 Upper Lower Limps Joints 36 Spine & Full Movements 37 Neurologic - Reflexes etc. 38 Psychiatric 39 Skin, Lymphatics 40 Last Menstruation - Date URINALYSIS V N Strik & Adnex Normal V N Distance Speciacles V N Distance Speciacles Speciacles V N Distance Speciacles Speciacles V N Distance Speciacles Speciacles V N Distance Speciacles Speciacles V N Distance Speciacles Speciacles V N Distance Speciacles Speciacles Speciacles V N Distance Speciacles Speciacles V N Distance Speciacles Speciacles Speciacles V N Distance Speciacles Speciacles Speciacles Speciacles V N Distance Speciacles Sp		1896 m		V1 15	Total Statement																
33 Genito Urinary System 34 Endocrine System 35 Upper Lower Limps Joints 36 Spine & Full Movements 37 Neurologic - Reflexes etc. 38 Psychiatric 39 Skin, Lymphatics 40 Last Menstruation - Date PH					Liver Sple	en															
34 Endocrine System 35 Upper Lower Limps Joints 36 Spine & Full Movements 37 Neurologic - Reflexes etc. 38 Psychiatric 39 Skin, Lymphatics 40 Last Menstruation - Date FIRINALYSIS V N V N P N Potein Glacose Blood Ketones Blaubin Urdblinogen Other/Comments VISION Flight Left REFRACTION Sph Right Cyl Axis Sph Cyl Axi	32	Anus	Rect	um																	
35	33	Geni	to Uri	nary Sy	/stem																
36 Spine & Full Movements 37 Neurologic - Reflexes etc. 38 Psychiatric 39 Skin, Lymphatics 40 Last Menstruation - Date Final Ysis V N VISION VISION VISION Flight Left REFRACTION Sph Cyl Axis Sph	34	Endo	crine	Syster	n																
37 Neurologic - Reflexes etc. 38 Psychiatric 39 Skin, Lymphatics 40 Last Menstruation - Date Ph Protein Glucose Blood Refones Blinubin Lirobilinogen Other/Comments	35	Uppe	er Lov	er Lim	ps Joints																
38 Psychiatric 39 Skin, Lymphatics 40 Last Menstruation - Date	36	Spine	e & F	ull Mov	ements																
39 Skin, Lymphatics 40 Last Menstruation - Date Fight Left REFRACTION Sph Right Axis Sph Cyl Axis Cyl Axis Cyl Axis Cyl Axis Cyl Axis Cyl Axis	37	Neur	ologic	- Refle	exes etc.																
40 Last Menstruation - Date 1	38	Psyc	hiatri																		
PH Protein Glucose Blood Ketones Blinubin Urobilinogen Other/Comments	39	Skin,	Lym	hatics																	
Ph	40	Last	Mens	truation	n - Date																
EYES VISION Right Left REFRACTION Sph Cyl Axis Sph Cyl Ax																					
Orbit & Adnex Normal Y N Distant Uncorrected Speciacles Y N Distance Corrected Type 6/ 6/ Near			rmal	PI		Protein	Glucose		Blood	Ket	ones	Bilirubir	n]	Urobilino	igen Oti	er/Commen	ts				
Orbit & Adnex Normal Y N Distant Uncorrected Standard Snellen Test Type Corrected Type Corrected Uncorrected Uncor	URINALYSIS			Pi		Protein	Glucose		Blood	Ket	ones	Bilirubir	n	Urobilino	igen Oti	er/Commen	ts				
Spectacles Y N Corrected Standard Sonellar Test Sollatance Type Contact Lenses Y N Intermediate Uncorrected Uncorrected Uncorrected Uncorrected Uncorrected Uncorrected Sollatance Type Field of Vision Normal Y N Intermediate Corrected Corrected V N N A V N N Normal Y N Normal Y N Normal V N N Normal V N Normal V N Normal V N N N Normal V N N Normal V N N N N Norma				Pi	1	Protein	Glucose				No.				Right						
Contact Lenses Y N Intermediate Uncorrected N14 at 100 cm Y N Y N Shahara Test Y N Intermediate Corrected N14 at 100 cm Y N Y N Normal Y N Intermediate Corrected N5 Normal Y N N Normal Y N NORMAL Exo Eso Hyper Maddox Rod Maddox Wing Normal Y N NORMAL Exo Eso Hyper Maddox Rod Maddox Wing Normal Y N Normal Y N N N NORMAN Y N N N N N N N N N N N N N N N N N N	EYES	Υ	N		VISION	Protein				L	No.	REFRACT			Right			oh			Ax
Convergence Y N Uncorrected 100 cm Y N Y N Shihinara Test Test Total Type Service Score Code Corrected Corrected Corrected Uncorrected Uncorrected Uncorrected Uncorrected Uncorrected Comments Service Servic	EYES	Υ	N		VISION Distant Uncorrect		Standard	6/		L	No.	REFRACT			Right			bh			Ax
Field of Vision Normal	EYES Orbit & Adne	Υ	N al Y	N	VISION Distant Uncorrect Distance	ed	Standard Snellen Te	6/		6/	No.	REFRACT			Right			bh			Ax
Convergence Y N Near Uncorrected N5 at No Y N Y N Maddox Rod N5 at Note any disqualifying conditions and limitations stamps used Consultant Opinion Convergence Y N N Y N Y N Maddox Rod Maddox Rod Maddox Rod Maddox Rod Maddox Wing Heterophoria Comments Comments Right Left Auditory Conversational V N Forced at 6m Whisper Right Y N Left Y Comments on history and findings - Note any disqualifying conditions and limitations stamps used Consultant Opinion	EYES Orbit & Adne.	Y x Norma	N al Y	N	VISION Distant Uncorrect Distance Corrected Intermedia	ed	Standard Snellen Te Type	6/ 6/	Right	6/ 6/	eft	REFRACT Distant Near *COLOUR	TION	Sph	Right Cyl				C		Ax
Uncorrected N5 at 30-50 cms Y N Y N Heterophoria Comments Colour Comments AuDiOGRAM Acuity Voice at 2 m Voice at 3 m Voice at 3 m Voice at 2 m Voice at 2 m Voice at 2 m Voice at 3 m Voice at 3 m Voice at 3 m Voice at 4 m Voi	EYES Orbit & Adne. Spectacles Contact Lens	Y x Norma	N Y	N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Intermedia	ed ate	Standard Snellen Te Type N14 at	6/ 6/	Right	6/ 6/ Y	eft	REFRACT Distant Near *COLOUR Ishihara Test	PERG	Sph	Right Cyl	Axi	s St	Cold	Cy		Ax
Colour Comments AUDIOGRAM Right Left Acuity Voice at 2 m V N Forced at 6m Whisper Right Voice at 2 m Voice at 3 m Voice at 2 m Voice at 2 m Voice at 3 m Voice at 4 m Voice at 4 m Voice at 4 m Voice at 2 m Voice at 4 m Voice at 5 m Voice at 5 m Voice at 5 m Voice at 6 m Voice at 2 m Voice at 2 m Voice at 6 m Voice a	EYES Orbit & Adne. Spectacles Contact Lens Field of Visio	Y x Norma	N Y Y Y al Y	N	VISION Distant Uncorrect Distance Corrected Intermedia Corrected	ed ate	Standard Snellen Te Type N14 at	6/ 6/ Y	Right	6/ 6/ Y	eft N	REFRACT Distant Near *COLOUR Ishihara Test Normal	PERG	Sph CEPTION	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	yl	
AUDIOGRAM Frequency Right Left Auditory Acuity Voice at 2 m Y N Forced at 6m Whisper Right Y N Left Y Comments on history and findings - Note any disqualifying conditions and limitations stamps used Comments on history and findings - Note any disqualifying conditions and limitations stamps used Comments on history and findings - Note any disqualifying conditions and limitations stamps used Comments Opinion	EYES Orbit & Adne. Spectacles Contact Lens Field of Visio	Y x Norma	N Y Y Y al Y	N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Intermedia Corrected Near Uncorrect	ed ate ed ate	Standard Snellen Te Type N14 at 100 cm	6/ 6/ Y Y	Right N	6/ 6/ 1 Y	eft NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN	REFRACT Distant Near *COLOUR Ishihara Test Normal *HETERO	PERG	Sph CEPTION	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	yl	
Auditory Acuity Conversational V N Forced at 6m Whisper Right Y N Left Y Comments on history and findings - Note any disqualifying conditions and limitations stamps used Comments on history and findings - Note any disqualifying conditions and limitations stamps used Consultant Opinion	EYES Orbit & Adne. Spectacles Contact Lens Field of Visio	Y x Norma	N Y Y Y al Y	N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Near Uncorrect Near	ed ate ed ate	Standard Snellen Te Type N14 at 100 cm	6/ 6/ Y Y	Right N	6/ 6/ 1 Y	eft NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN	REFRACT Distant Near *COLOUR Ishihara Test Normal *HETERO!	PERO Y	Sph CEPTION	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	yl	
Frequency Hight Left Acuity Voice at 2 m Writsper 6000 Comments on history and findings - Note any disqualifying conditions and limitations stamps used 4000 2000 2000 2000 2000 2000 2000 200	EYES Orbit & Adne. Spectacles Contact Lens Field of Visio	Y x Norma	N Y Y Y al Y	N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Intermedia Uncorrect Near Uncorrect Near Corrected Colour	ed ate ed	Standard Snellen Te Type N14 at 100 cm	6/ 6/ Y Y	Right N	6/ 6/ 1 Y	eft NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN	REFRACT Distant Near *COLOUR Ishihara Test Normal *HETERO Maddox Ri Maddox Wi Heteroph	PERO Y	Sph CEPTION	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	yl	
4000 3000 2000 1000 500 Consultant Opinion	EYES Orbit & Adne Spectacles Contact Lens Field of Visio Convergence	Y x Norma	N All Y Y Y All Y	N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Intermedia Uncorrect Near Uncorrect Near Corrected Colour Comment Auditory	ed ate ed ate	Standard Snellen Te Type N14 at 100 cm N5 at 30-50 cms	6/ 6/ Y Y	N N N	6/ 6/ 1 Y 1 Y 1 Y 1 Y	N N N N	REFRACT Distant Near "COLOUR Ishihara Test Normal "HETERO! Maddox Ri Maddox Wi Heteroph	PERO Y	Sph CEPTION N	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	Нуре	Axi
3000 2000 1000 500 Consultant Opinion	EYES Orbit & Adne Spectacles Contact Lens Field of Visio Convergence AUDIC Frequency	Y x Norma	N All Y Y Y All Y	N N N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Intermedia Uncorrect Near Corrected Near Corrected Additory Acuity	ed e	Standard Snellen Te Type N14 at 100 cm N5 at 30-50 cms	6/ 6/ Y Y Y	Right N N N N	6/ 6/ Y Y Y Y Forced a Whisper	N N N N N N	REFRACT Distant Near *COLOUR Ishihara Test Normal *HETERO -Maddox Ri Maddox Ri Heteroph Commen Right	PERO YPHOR od ing noria its	Sph CEPTION N RIA	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	Нуре	ır
2000 1000 500 Consultant Opinion	EYES Orbit & Adne Spectacles Contact Lens Field of Visio Convergence AUDIC Frequency	Y x Norma	N All Y Y Y All Y	N N N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Intermedia Uncorrect Near Corrected Near Corrected Additory Acuity	ed e	Standard Snellen Te Type N14 at 100 cm N5 at 30-50 cms	6/ 6/ Y Y Y	Right N N N N	6/ 6/ Y Y Y Y Forced a Whisper	N N N N N N	REFRACT Distant Near *COLOUR Ishihara Test Normal *HETERO -Maddox Ri Maddox Ri Heteroph Commen Right	PERO YPHOR od ing noria its	Sph CEPTION N RIA	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	Нуре	ır.
1000 500 Consultant Opinion	EYES Orbit & Adne Spectacles Contact Lens Field of Visio Convergence AUDIC Frequency 6000	Y x Norma	N All Y Y Y All Y	N N N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Intermedia Uncorrect Near Corrected Near Corrected Additory Acuity	ed e	Standard Snellen Te Type N14 at 100 cm N5 at 30-50 cms	6/ 6/ Y Y Y	Right N N N N	6/ 6/ Y Y Y Y Forced a Whisper	N N N N N N	REFRACT Distant Near *COLOUR Ishihara Test Normal *HETERO -Maddox Ri Maddox Ri Heteroph Commen Right	PERO YPHOR od ing noria its	Sph CEPTION N RIA	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	Нуре	ır.
1000 500 Consultant Opinion	EYES Orbit & Adne Spectacles Contact Lens Field of Visio Convergence AUDIO Frequency 6000 4000	Y x Norma	N All Y Y Y All Y	N N N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Intermedia Uncorrect Near Corrected Near Corrected Additory Acuity	ed e	Standard Snellen Te Type N14 at 100 cm N5 at 30-50 cms	6/ 6/ Y Y Y	Right N N N N	6/ 6/ Y Y Y Y Forced a Whisper	N N N N N N	REFRACT Distant Near *COLOUR Ishihara Test Normal *HETERO -Maddox Ri Maddox Ri Heteroph Commen Right	PERO YPHOR od ing noria its	Sph CEPTION N RIA	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	Нуре	ır.
500 Consultant Opinion	EYES Orbit & Adne Spectacles Contact Lens Field of Visio Convergence AUDIC Frequency 6000 4000 3000	Y x Norma	N All Y Y Y All Y	N N N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Intermedia Uncorrect Near Corrected Near Corrected Additory Acuity	ed e	Standard Snellen Te Type N14 at 100 cm N5 at 30-50 cms	6/ 6/ Y Y Y	Right N N N N	6/ 6/ Y Y Y Y Forced a Whisper	N N N N N N	REFRACT Distant Near *COLOUR Ishihara Test Normal *HETERO -Maddox Ri Maddox Ri Heteroph Commen Right	PERO YPHOR od ing noria its	Sph CEPTION N RIA	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	Нуре	ır.
Consultant Opinion	EYES Orbit & Adne Spectacles Contact Lens Field of Visio Convergence AUDIO Frequency 6000 4000 3000	Y x Norma	N All Y Y Y All Y	N N N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Intermedia Uncorrect Near Corrected Near Corrected Additory Acuity	ed e	Standard Snellen Te Type N14 at 100 cm N5 at 30-50 cms	6/ 6/ Y Y Y	Right N N N N	6/ 6/ Y Y Y Y Forced a Whisper	N N N N N N	REFRACT Distant Near *COLOUR Ishihara Test Normal *HETERO -Maddox Ri Maddox Ri Heteroph Commen Right	PERO YPHOR od ing noria its	Sph CEPTION N RIA	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	Нуре	ır.
Opinion	EYES Orbit & Adne Spectacles Contact Lens Field of Visio Convergence AUDIO Frequency 6000 4000 3000	Y x Norma	N All Y Y Y All Y	N N N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Intermedia Uncorrect Near Corrected Near Corrected Additory Acuity	ed e	Standard Snellen Te Type N14 at 100 cm N5 at 30-50 cms	6/ 6/ Y Y Y	Right N N N N	6/ 6/ Y Y Y Y Forced a Whisper	N N N N N N	REFRACT Distant Near *COLOUR Ishihara Test Normal *HETERO -Maddox Ri Maddox Ri Heteroph Commen Right	PERO YPHOR od ing noria its	Sph CEPTION N RIA	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	Нуре	ır
Requested	EYES Orbit & Adne Spectacles Contact Lens Field of Visio Convergence 4000 4000 3000 2000 1000	Y x Norma	N All Y Y Y All Y	N N N	VISION Distant Uncorrect Distance Corrected Intermedia Uncorrect Intermedia Uncorrect Near Corrected Near Corrected Additory Acuity	ed e	Standard Snellen Te Type N14 at 100 cm N5 at 30-50 cms	6/ 6/ Y Y Y	Right N N N N	6/ 6/ Y Y Y Y Forced a Whisper	N N N N N N	REFRACT Distant Near *COLOUR Ishihara Test Normal *HETERO -Maddox Ri Maddox Ri Heteroph Commen Right	PERO YPHOR od ing noria its	Sph CEPTION N RIA	Right Cyl Colour Lantern Normal	Axi	N St	Cold Lant Type	Cy	Нуре	ır

APPENDIX 5

MEDICAL CERTIFICATE

MINIST	INGDOM OF BAHRAIN TRY OF TRANSPORTATION VIL AVIATION AFFAIRS EDICAL CERT	_	/	مملكة البحرين وزارة المواصلات شئون الطيران المدني
	certifies that (Full n		dress):	
Date	of Birth		Licenc	e/App No.
Regula	net the medical stand ations, for this Class of			Air Navigation Technical
Z				
LIMITATIONS				
	of Examination		Exami	ner's Serial No.
Date	of Examination		Exami	ner's Serial No.
			Exami	ner's Serial No.

CONDITIONS OF ISSUE

This certificate shall be in the personal possession of the flight crew at all times while exercising the privileges of his or her flight crew licence. The issuance of a medical certificate by an Aviation Medical Examiner may be reviewed by CAA within 60 days. Unless reviewed or otherwise limited in duration, this certificate becomes valid for the time limits specified below:

Type of Licence & Age of Holder	Class	Validity
Airline Transport Pilot (Aeroplane)	1	12 months
Airline Transport Pilot (Helicopter)	1	12 months
Commercial Pilot (Aeroplane)	1	12 months
Commercial Pilot (Helicopter)	1	12 months
Private Pilot (Aeroplane) under 40	2	60 months
Private Pilot (Aeroplane) aged 40 and over	2	24 months
Private Pilot (Helicopter) under 40	2	60 months
Private Pilot (Helicopter) aged 40 and over	2	24 months
Flight Engineer	1	12 months
Air Traffic Controller under 40	3	48 months
Air Traffic Controller aged 40 and over	3	24 months

OPERATION DURING PHYSICAL DEFICIENCY

The holder of this certificate is governed by the provisions of the Air Navigation Technical Regulations Article 18(7) and (8) relating to physical deficiency.

This Page Intentionally Left Blank

APPENDIX 6

NOTIFICATION OF DENIAL OF MEDICAL CERTIFICATE

APPLICANT: Name: Address: Date of Birth: Reference No: MEDICAL EXAMINATION DATE: CLASS OF BCAA MEDICAL CERTIFICATE DENIED: BCAA Designated Aviation Examiner's Guidance Notes (ARL/GEN/05 Issue 2 did September 1999) Paragraph Nos:

Assessment of your application form and medical examination of above date reveals that you do not meet the BCAA requirements referred to above for a medical certificate, (Class as above) because of the condition(s) stated. Accordingly, your application for a medical certificate (Class as above) is hereby denied.

You may, if you wish, apply to have this decision reviewed. You should apply in writing to:

Head Aircraft Registration & Licensing Air Transport Directorate Civil Aviation Affairs P.O. Box 586 Kingdom of Bahrain

Also, this assessment of being below the medical requirements for a Bahrain CAA medical certificate (Class as above) precludes your form exercising the privileges of your licence or related ratings with immediate effect.

Date AME Signature & Stamp: AME Number:

Form No: AT/ARL/F097 (Issue 1/Sep 99)

DISQUALIFYING CONDITIONS:

This Page Intentionally Left Blank